

## Compact vacuum cleaner with manual filter cleaning, 6 l, class L

**VC 6 L MC 18.0**

**Order number 481.491**



### Technical attributes

Battery voltage	18 V
Battery capacity	2,5 / 5,0 Ah
Max. volume flow	1400 l/min
Max. vacuum	12000 Pa
Filter surface	3000 cm <sup>2</sup>
Container volume	6 l
Size (W x L x H)	240 x 200 x 400 mm
Weight including accessories, w/o battery	3,3 kg

### Standard equipment

1 suction hose 32 mm Ø x 0,5-2,5 m	487.295
1 flat-fold filter class L	488.151
1 fleece filter bag class L	487.287
1 hand pipe	487.198
1 crevice nozzle	487.201
1 round brush	487.228
1 upholstery nozzle	487.236
1 polstered shoulder strap	487.244

### Compact vacuum cleaner with manual filter cleaning, 6 l, class L

- + Very compact, handy and light vacuum cleaner with carrying strap for mobile use. The compact design means it fits in all vehicles
- + The high-performance turbine ensures both a high suction capacity and a high vacuum. The outcome is an excellent extraction result
- + By actuating manual filter cleaning, dust deposited in the filter element is removed by a targeted blast of air
- + Flat-fold filter for optimised cleaning and improved container filling
- + Accessories can be stowed due to integrated brackets on the suction head
- + With 32 mm diameter compact hose with a length of 0.5 m can be extended to 2.5 m. Very handy, for easy transport of the vacuum cleaner
- + Easy-to-fit running gear available as an accessory
- + Powerful vacuum cleaner for professional use in final assembly, automotive cleaning etc. FLEX power tools can be connected with ease using the FLEX clip system for extraction work
- + Optimised for cleaning work in offices, storage rooms, workshops and vehicles
- + Eco mode, extends the battery runtime to up to 30 minutes with a max. vacuum of 12 000 Pa
- + FLEX battery system: suitable for all FLEX 18,0 V battery packs. Delivery does not include battery and charger

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Accessories

### Hand pipe

Order number 487.198



With clip connection.

#### Technical attributes

QTY/PKG	1
---------	---

### Threaded ring clip with auxiliary air control

Order number 487.171



Threading 32 mm Ø with snap coupling, inclusive variable auxiliary air adjustment of suction power for reduction of underpressure. Compatible for suction hose 32 mm.

#### Technical attributes

QTY/PKG	1
---------	---

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Accessories

### Suction hose with auxiliary air control

Order number 487.295



#### Technical attributes

QTY/PKG	1
---------	---

Suction hose with a length of 0.5 m, can be extended to 2.5 m. Internal diameter of 32 mm with universal device connection, hand pipe, clip system, including bleed air control to reduce the suction vacuum as required.

### Fleece filter bag

Order number 487.287



#### Technical attributes

QTY/PKG	5
---------	---

Long-life fleece filter bag class L. Improved filling compared to paper filter bags.

## Accessories

### Flat folded filter

Order number 488.151



Class L paper flat-fold filter. Dirt-repellent surface and long lifetime.

#### Technical attributes

QTY/PKG	1
---------	---

### Flat folded filter

Order number 487.260



Class M paper flat-fold filter. Dirt-repellent surface and long service life.

#### Technical attributes

QTY/PKG	1
---------	---

### Flat folded filter

Order number 487.279



Paper flat-fold filter of class H/HEPA 13. Made from special material with a permeability of  $< 0.005\%$ . Dirt-repellent surface and long service life.

#### Technical attributes

QTY/PKG	1
---------	---

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Accessories

### Polstered shoulder strap

Order number 487.244



Carrying strap for mobile use for the VC 6.

#### Technical attributes

QTY/PKG	1
---------	---

### Crevice nozzle

Order number 487.201



Crevice nozzle diameter 36 mm, length 300 mm.

#### Technical attributes

QTY/PKG	1
---------	---

### Upholstery nozzle

Order number 487.236



Upholstery nozzle, diameter 36 mm, width 115 mm.

#### Technical attributes

QTY/PKG	1
---------	---

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Accessories

### Round brush

Order number 487.228



#### Technical attributes

QTY/PKG	1
---------	---

Round brush nozzle with brush edge for cleaning sensitive surfaces. Diameter 36 mm, length 120 mm.

### Running gear

Order number 487.252



#### Technical attributes

QTY/PKG	1
---------	---

Running gear for the VC 6, easy-to-fit.

### Rapid charger

Order number 417.882



#### Technical attributes

QTY/PKG	1
---------	---

For charging 10.8 and 18.0 V battery packs. With large-format LCD display for battery diagnostics and charge levels. Charging time 10,8 V approx.

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

40 min. for 2.5 Ah / 4.0 Ah and approx. 55 min. for 6.0 Ah batteries. Charging time 18 V: approx 40 min for 2.5 Ah and approx 45 min for 5.0 Ah. A special procedure charges 80% of the capacity after about 30 min. With integrated battery pack cooler and overheating, discharge, and overload protection.

## Power 55 R

Order number 491.349



Set consisting of a 10.8/18.0 V rapid charger and two 5.0 Ah 18.0 V battery packs.

### Technical attributes

QTY/PKG	1
---------	---

## Power 22 Q

Order number 491.357



Set consisting of a 18.0 V charger and two 2.5 Ah 18.0 V battery packs.

### Technical attributes

QTY/PKG	1
---------	---

FLEX-Elektrowerkzeuge GmbH  
Bahnhofstraße 15  
71711 Steinheim  
Phone +49 7144 828-0  
Fax +49 7144 25899  
info@flex-tools.com  
www.flex-tools.com

# FLEX

## Accessories

### Li-Ion rechargeable battery pack 18,0 V

Order number 445.886



Technical attributes	
Battery capacity	2,5 Ah
Battery voltage	18,0 V
Weight	0,42 kg
QTY/PKG	1

Battery pack Li ion 18.0 V with integrated charge and discharge protection, battery charge indicator, dust and splash protection. Electronic management system (EMS) protects the battery pack, extends the service life, and increases efficiency.

### Li-Ion rechargeable battery pack 18,0 V

Order number 445.894



Technical attributes	
Battery capacity	5,0 Ah
Battery voltage	18,0 V
Weight	0,72 kg
QTY/PKG	1

Battery pack Li ion 18.0 V with integrated charge and discharge protection, battery charge indicator, dust and splash protection. Electronic management system (EMS) protects the battery pack, extends the service life, and increases efficiency.